

45  
X  
X

Willamette Meridian through T. 31 S.,

CHAINS

86.05 At a point due East of and 110.40 chs. dist., from the cor. of secs. 1 and ~~8~~<sup>3</sup>, T. 31 S., R. 1 W., and 35 and 36, T. 30 S., R. 1 W.

Set a basalt stone, 24x12x10 ins. 18 ins. in the ground, for cor. of Tps. 30 and 31 S., R. 1 W., mkd. with 6 grooves on N, S and W. faces, from which

A fir, 30 ins. diam., bears S.30\*W., 25 lks. dist., mkd. T 31 S R 1 W S 1 B T.

A fir, 24 ins. diam., bears N.5\*W., 27 lks. dist., mkd. T 30 S R 1 W S 36 B,T.

Land, mountainous.

Soil, stony and 2nd and 3rd rates.

Timber, fir, pine, laurel and cedar.

Undergrowth, laurel and willow.

Mountainous or heavily timbered land or land covered with dense undergrowth, 86.05 chs.

Retracement of a Portion of East Bdy, T.31 S., R.2 W.,  
As surveyed by Fred Mensch, Deputy Surveyor,  
Under Contract 766, dated May 10, 1906.

At the SE. cor. of T. 31 S., R. 2 W.

Thence I run

North, bet. secs. 31 and 36.

Over mountainous land, heavily timbered and covered with dense undergrowth.

Asc. SE. slope.

12.00 Ridge, bears E. and W. Desc. NE. slope.

31.00 Enter opening.

34.00 Leave opening.

40.25 The 1/4 sec. cor. which is nearly obliterated, the only remaining evidence being one bearing tree, deeply overgrown.

I re-establish the cor. in its original position as follows:

Set an ironstone, 14x10x4 ins. 9½ ins. in the ground for