

Dependent Resurvey of Portion of South Boundary  
of T. 31 S., R. 1 W.

CHAINS	
	<p>Land, mountainous.</p> <p>Soil, rocky, 4th rate.</p> <p>Timber, fir, cedar, laurel and live oak.</p> <p>Undergrowth, vine maple and hazel.</p>
	<p>East, on S. bdy. of sec. 36.</p> <p>Over mountainous land, through heavy timber and dense undergrowth.</p> <p>Asc. 345 ft. to 1/4 sec. cor., along general N. slope.</p>
4.60	Spring branch, 1 lk. wide, course NW.
20.64	Sled road, bears NW. and SE.
22.52	California-Oregon Power Co. transmission line, bears NW. and SE.
36.11	<p>The cor. of secs. 1 and 2 only, which is a basalt stone, firmly set, 6x10x6 ins. above ground, marked with 1 notch on E. and 5 notches on W. edge; from which</p> <p>A fir, 20 ins. diam., bears N.3*W., 45 lks. dist., mkd. T 31 S R 1 W S 36 B T. (Old B T.)</p> <p>A fir, 15 ins. diam., bears S.10*W., 111 lks. dist., mkd. T 32 S R 1 W S 2 B T. (Old B T.)</p> <p>A fir, 10 ins. diam., bears S.10*E., 103 lks. dist., mkd. T 32 S R 1 W S 1 B T. (Old B T.)</p> <p>Obliterate the marks on the bearing tree referring to sec. 36.</p>
39.07	<p>The old 1/4 sec. cor., which is a basalt stone, firmly set, 6x10x6 ins. above ground, marked 1/4 on N. face; from which</p> <p>A fir, 12 ins. diam., bears S.32*E., 22 lks. dist., mkd. 1/4 S B T. (Old B T.)</p> <p>The bearing tree NE. of cor. is dead.</p> <p>I now change this cor. to angle point; obliterate the marks on the stone and bearing tree and re-mark the tree A P and the stone A P on N. face; from which</p>