

Survey of Portion of South Boundary  
of T. 30 S., R. 1 W.

CHAINS	
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for 1/4 sec. cor. of sec. 36 only, with brass cap marked</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S36 <u>1923</u></p> <p>from which</p> <p style="padding-left: 40px;">A fir, 15 ins. diam., bears N.33*E., 29 lks. dist., mkd. 1/4 S 36 B T.</p> <p style="padding-left: 40px;">A fir, 48 ins. diam., bears N.70*W., 33 lks. dist., mkd. 1/4 S 36 B T.</p> <p style="padding-left: 40px;">Asc. 560 ft. to</p>
72.00	Flat spur, slopes SW.; desc. 224 ft. to
85.69	Creek, 5 lks. wide, course S.; asc. 216 ft. to Tp. cor.
93.00	Spring branch, 2 lks. wide, course SW.
106.72	Spring branch, 1 lk. wide, course S.
110.71	Intersect Willamette Meridian at the cor. of Tps. 30 and 31 S., R. 1 W. only, hereinbefore described.
	Note: This cor. was established by Angell at a point east of the cor. of secs. 35 and 36.
	Land, mountainous.
	Soil, rocky, 4th rate.
	Timber, fir, cedar, pine, live oak and laurel.
	Undergrowth, vine maple.
Retracement of Portion of Subdivisional Lines in T. 31 S., R. 1 W.	
	From the cor. of secs. 34 and 35 only, on the S. bdy. of the Tp.
	North, retracing bet. secs. 34 and 35.
40.02	Intersect the point for the 1/4 sec. cor.
80.16	Fall 23 lks. W. of the cor. of secs. 26, 27, 34 and 35.
	The bearing and length of the south half mile is North, 40.02 chs., and of the north half mile is N.0*20'E., 40.14 chs.