

83 +

Dependent Resurvey of Portion of Subdivisional Lines  
in T. 31 S., R. 1 W.

CHAINS

A fir, 18 ins. diam., bears S.15\*E., 17 lks. dist.,  
mkd. 1/4 S 27 B T. (Old B.T.)

A fir, 22 ins. diam., bears S.65\*W., 17 lks. dist.,  
mkd. 1/4 S 28 B T. (Old B.T.)

Thence


N.0\*21'W.

33.10 Spur, slopes W., 704 ft. above 1/4 sec. cor.; desc. 127 ft.

40.18 The cor. of secs. 21, 22, 27 and 28, located by refer-  
ence to the original bearing trees.

At exact cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
the ground, for cor. of secs. 21, 22, 27 and 28, with  
brass cap marked



from which

A fir, 18 ins. diam., bears N.88\*E., 15 lks. dist.,  
mkd. T 31 S R 1 W S 22 B T. (Old B.T.)

A fir, 24 ins. diam., bears S.88\*E., 20 lks. dist.,  
mkd. T 31 S R 1 W S 27 B T. (Old B.T.)

A fir, 18 ins. diam., bears S.30\*W., 18 lks. dist.,  
mkd. T 31 S R 1 W S 28 B T. (Old B.T.)

A fir, 36 ins. diam., bears N.42\*W., 20 lks. dist.,  
mkd. T 31 S R 1 W S 21 B T. (Old B.T.)

Land, mountainous.

Soil, 2nd. rate.

Timber, fir, oak, pine and cedar.

Undergrowth, vine maple and arrow wood.

North, bet. secs. 21 and 22.

Over mountainous land, through heavy timber and dense  
undergrowth.

Along broken W. slope.