

Dependent Resurvey of Portion of Subdivisional Lines
in T. 31 S., R. 1 W.

CHAINS

mkd. T 31 S R 1 W S 16 B T. (Old B.T.)

An oak, 18 ins. diam., bears S.12*W., 27 lks. dist.,

mkd. T 31 S R 1 W S 17 B T. (Old B.T.)

An oak, 20 ins. diam., bears N.5*W., 38 lks. dist.,

mkd. T 31 S R 1 W S 8 B T. (Old B.T.)

Land, mountainous.

Soil, clay loam, 2nd rate.

Timber, fir, cedar, pine and oak.

Undergrowth, fir, vine maple, and hazel.

North, bet. secs. 8 and 9.

Over mountainous land, through heavy timber and dense
undergrowth.

Along W. slope.

6.37 Creek, 1 lk. wide, course SW.; asc. 616 ft. to 1/4 sec.
cor.

22.95 Wire fence, bears NE. and SW.

23.16 Road, bears NE. and SW.

24.07 Creek, 1 lk. wide, course SW.

28.06 Old trail, bears NW. and SE.

40.56 The 1/4 sec. cor., located by reference to the original
bearing trees. From cor. point

A pine, 48 ins. diam., bears N.30*E., 37 lks. dist.,
mkd. 1/4 S B T. (Old B.T.)

A cedar, 40 ins. diam., bears N.67*W., 46 lks. dist.,
mkd. 1/4 S B T. (Old B.T.)

At exact cor. point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in
the ground, for 1/4 sec. cor., with brass cap marked

↑
SS | S9
1923

Thence