

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 31 S., R. 2 W.

CHAINS	<p>The cor. which was a stone is not found</p> <p>Two bearing trees are standing with marks overgrown</p> <p>I reestablish this cor. in its original position for secs 21 & 22 only as follows</p> <p>Set a serpentine stone 14x12x10 ins. 9½ ins. in the ground for cor. of secs. 21 & 22 marked with 3 notches on E edge from which</p> <p style="padding-left: 40px;">A Pine, 10 ins. diam., bears N.20*E., 63 lks. dist., Marked T 31 S R 2 W S 22 B T</p> <p style="padding-left: 40px;">A Pine, 36 ins. diam., bears N.67*W., 82 lks. dist., Marked T 31 S R 2 W S 21 B T</p> <p>Marks on bearing trees referring to secs. 27 & 28 already destroyed</p> <p>Land Mountainous</p> <p>Soil, Loam and stony, 2nd. & 3rd. rate</p> <p>Timber, Fir, Pine, Cedar, Madrone; undergrowth Hazel, Fir, Madrone, Lilac</p> <p>Mountainous or heavily timbered land or land covered with dense undergrowth and exceptionally difficult to survey</p> <p>61.53 chs.</p> <p style="text-align: right;">June 17, 1908</p>
1.75	<p>Thence I run</p> <p>S.0*3'E bet. secs. 32 & 33</p> <p>Over Mountainous land, heavily timbered and covered with dense undergrowth</p> <p>Ascend NE slope</p> <p>Ridge Point descending SE</p> <p>Descend S slope</p>
31.00	<p>Granite Creek, 8 lks. wide, course N.60*E.</p> <p>Ascend N. slope</p>
40.00	<p>Set an ironstone 12x8x6 ins. 8 ins. in the ground for ¼ sec.cor. marked ¼ on W face from which</p> <p style="padding-left: 40px;">A Fir, 18 ins. diam., bears N65*E., 39 lks. dist., Marked ¼ S 33 B T</p> <p style="padding-left: 40px;">A Fir, 24 ins. diam., bears S.3*W., 21 lks. dist.,</p>