

Subdivisions of T. 31 S., R. 3 W.

CHAINS

sections may be valuable for their timber.

Claims are already established in secs. 31 and 33.

One mining claim in sec. 31 is worked to an advantage during the winter and spring months.

A small creek very much impregnated with sulphur was crossed in running the N bdy. of sec. 32.

South Boundary of T. 31 S., R. 3 W
As surveyed by William M. Bushey, Deputy Surveyor,
under contract No. 620, dated June 17, 1893.

The cor. to secs. 1, 2, 35 and 36 on the S bdy. of the tp. is destroyed by fire. I find 2 of the witness trees. At cor. point, set a stone, 15x11x7 ins. 10 ins. in the ground for ^{cor.} to secs. 1, 2, 35 and 36, marked with 1 notch on E and 5 notches on W edges; from which

A laurel, 8 ins. diam., (10 ins. now) bears
S.50*W., 57 lks. dist. marked T 32 S R 3 W S 2
B T.

A pine, 30 ins. diam., bears N.42*W., 115 lks. dist.
marked T 31 S R 3 W S 35 B T.

These are the original witness trees.

The laurel in sec. 2 is broken off 10 ft. above the ground. The pine in sec. 1 is destroyed by fire. I mark 2 new witness trees as follows

A pine, 12 ins. diam., bears S.12½*E., 270 lks.
dist., marked T 32 S R 3 W S 1 B T.

A pine, 14 ins. diam., bears S.31*W., 160 lks.
dist., marked T 32 S R 3 W S 2 B T.

No tree in sec. 36 in limits.

Thence I run

East, on true line, bet. secs. 1 and 36.

Va.19½*E.