

County Surveyor's Record, Douglas County, Oregon

Subdivision of T. 31 S., R. 4 W.

CHAINS		
40.00	Set temp. $\frac{1}{4}$ sec. post.	
80.10	Intersect line, 35 lks. S of post cor. to secs. 27, 28, 33 and 34, from which S.89*45'W., on a true line, bet. secs. 28 and 33.	
3.00	Begin descent; south slope of hill.	
31.50	Trail up creek, course N.	-600
35.00	Foot of hill, course SE.	-700
40.05	Set $\frac{1}{4}$ sec. post, from which A fir, 8 ins. diam., bears N.80*W., 13 lks. dist. A fir, 10 ins. diam., bears S.50*E., 10 lks. dist.	-700
48.00	Cow Creek, 75 lks. wide, course SW.	-750
55.00	Begin ascent; a creek 2 lks. wide, course E.	-750
80.10	The cor. to secs. 28, 29, 32 and 33. Land on hills, 3d and 2d rates; on bottom, 1st rate. Timber, 3d rate, fir, maple, cedar, laurel and yew. Underbrush same and vine maple and mountain laurel.	-100
North, bet. secs. 28 and 29.		
	Va.20*E.	
10.00	A creek, 3 lks. wide, course E.	-400
35.00	A creek, 3 lks. wide, course SE.	-400
40.00	Set $\frac{1}{4}$ sec. post, from which A fir, 30 ins. diam., bears N.28*W., 10 lks. dist. A fir, 8 ins. diam., bears S.75*E., 49 lks. dist. Va.19*E.	
52.50	Top of spur, course SE.	
62.00	A creek, 3 lks. wide, course SE.	-300
62.50	Begin ascent.	
80.00	Set post cor. to secs. 20, 21, 28 and 29, from which A laurel, 8 ins. diam., bears N.75*E., 45 lks. dist. A laurel, 10 ins. diam., bears S.15*E., 32 lks. dist. A laurel, 10 ins. diam., bears S.62*W., 66 lks. dist. A chinquapin, 12 ins. diam., bears N.58*W., 15 lks. dist. South part timber and Soil 1st rate; north part 3d rate	+300