

## Subdivision of T. 31 S., R. 4 W.

CHAINS		
	N.0°2'W., on a true line, bet. secs. 3 and 4.	
	Va.18-3/4°E.	
	Ascend.	+200
1.25	A creek bed, course SE; water in holes.	
10.75	A fir, 30 ins. diam., on line marked with 2 notches on N and S sides.	
20.25	Summit of spur, course E and W; descend.	-400
37.15	A stream, 3 lks. wide, course NE; ascend	+30
40.00	A fir, 4 ins. diam., which I mark $\frac{1}{4}$ S on W face, for $\frac{1}{4}$ sec. cor. from which	
	A fir, 5 ins. diam., bears N.43°E., 18 $\frac{1}{4}$ lks. dist., marked $\frac{1}{4}$ S B T.	
	A cedar, 16 ins. diam., bears S.32 $\frac{1}{2}$ °W., 45 lks. dist., marked $\frac{1}{4}$ S B T.	
41.25	Descend.	-50
42.30	Ascend.	+25
52.50	Descend.	-50
54.50	Ascend.	+75
62.50	Summit of mountain ridge, course N and S; descend.	-1800
83.50	A gulch, course E and W.	
91.67	A fir, 36 ins. diam., on line marked with 2 notches on N and S sides.	
103.47	Intersect the N bdy. of the tp. 3.56 chs. W of the closing cor. to secs. 33 and 34. At point of intersection, set a stone, 14x14x10 ins. 10 ins. in the ground for closing cor. to secs. 3 and 4, marked C C on S face with 3 notches on E and W faces; from which	
	A fir, 5 ins. diam., bears S.41 $\frac{1}{2}$ °E., 18-3/4 lks. dist., marked T 31 S R 4 W S 3 B T.	
	A fir, 12 ins. diam., bears S.20°W., 74 $\frac{1}{2}$ lks. dist. marked T 31 S R 4 W S 4 B T.	
	A fir, 16 ins. diam., bears N.47 $\frac{1}{2}$ °W., 29 lks. dist.	