

65
County Surveyor's Record, Douglas County, Oregon

Subdivision of T. 31 S., R. 4 W.

CHAINS

dist., marked $\frac{1}{4}$ S B T.

I mark 2 new trees as follows

A fir, 6 ins. diam., bears S.23*E., 49 lks. dist.,
marked $\frac{1}{4}$ S B T.

A fir, 11 ins. diam., bears N.60*E., 38 $\frac{1}{2}$ lks. dist.,
marked $\frac{1}{4}$ S B T.

42.25 Top of spur, course N and S; descend. -150

52.50 A ravine, course NW and SE; ascend. +50

55.75 Descend. -150

67.55 A stream, 10 lks. wide, course SE; ascend. +200

77.60 To a point, 24 lks. N of the cor. to secs. 20, 21, 28
and 29, which is a post, 4 ins. sq., greatly decayed,
with marks nearly obliterated, I find 2 of the
original witness trees standing.

I remove this post, and set a fir post, 4 ft. long,
4 ins. sq., 24 ins. in the ground, for cor. to secs.
20, 21, 28 and 29, marked with 4 notches on E and
2 notches on S edges; from which

A laurel, 8 ins. diam., (10 ins. now) bears
N.75*E., 45 lks. dist., marked T 31 S R 4 W
S 21 B T.

A chinquapin, 12 ins. diam., bears N.58*W., 15 lks.
dist., marked T 31 S R 4 W S 20 B T.

The laurel witness trees in secs. 28 and 29 have been
destroyed by fire.

I mark 2 trees as follows

A fir, 17 ins. diam., bears S.34 $\frac{1}{2}$ *E., 49 $\frac{1}{2}$ lks.
dist., marked T 31 S R 4 W S 28 B T.

A fir, 6 ins. diam., bears S.15 $\frac{1}{2}$ *W., 37 $\frac{1}{2}$ lks.
dist., marked T 31 S R 4 W S 29 B T.

Land, mountainous. 77.60 chs.

Soil, 3d rate.

Heavily timbered with fir, laurel, cedar, chinquapin