

Subdivisions of T. 31 S., R. 5W.

CHAINS

80.00

Set a basalt stone, 16x12x10 ins., 12 ins. in ground, marked with five notches on South and one notch on East angle of the same for the corner to sections 1, 2, 11, and 12, from which

A Fir, 15 ins. diam., bears N.38\*E., 15 lks. dis.

Marked T 31 S R 5 W S 1 B T.

A Fir, 40 ins. diam., bears S.15\*E., 68 lks. dis.

Marked T 31 S R 5 W S 12 B T.

A Fir, 30 ins. diam., bears S.40\*W., 54 lks. dis.

Marked T 31 S R 5 W S 11 B T.

A Fir, 18 ins. diam., bears N.65\*W., 52 lks. dis.

Marked T 31 S R 5 W S 2 B T.

Land, mountainous and broken.

Soil, rocky, third and fourth rate.

Timber, dense growth of Fir, Cedar, and Laurel.

Undergrowth, Fir and Laurel, with Hazel, Yew, Live Oak, and Arrow-wood.

Va. 19\*E.

East on Random line between Sections 1 & 12.

0.50 Rail fence, c N.85\*W. & S.85\*E.

1.50 Stage Road C, S.85\*E., Along South slope of mountains.

26.00 Ascend SW. slope of mountain.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

65.50 Top of spur C, South, Descend SE. slope of mountain.

70.30 A Spring branch, 1 lk. wide, c South. Ascend.

80.10 Intersect East boundary of township, 50 lks. South of corner to sections 1, 6, & 12, which is a fir post 4 ins. square, firmly set in ground and properly marked, from which

A Laurel, 14 ins. diam., bears N.28\*E., 24 lks.

Marked T 31 S R 4 W S 6 B T.