

County Surveyor's Record, Douglas County, Oregon

7969

Subdivisions of T. 31 S., R. 5 W.

CHAINS		
	<p>A cedar, 13 ins. diam., bears S.38*E., 32 lks. dist. Marked $\frac{1}{4}$ S B T.</p>	
80.66	<p>The corner to secs. 14, 15, 22 & 23. Land, mountainous and broken, soil, fourth rate. Timber, dense growth of fir, cedar and laurel. Thick undergrowth of fir, cedar, laurel, and hazel.</p>	
	<p style="text-align: right;">Va. 19*E.</p> <p>North, between secs. 14 and 15.</p>	
7.30	A spring branch, 2 lks. wide, C. W. Ascend.	
34.00	Top of spur C W. Steep descent.	
40.00	<p>Set a stone, 14x8x6 ins., 10 ins. in ground, marked $\frac{1}{4}$ on West side for the $\frac{1}{4}$ sec. cor., from which A cedar, 16 ins. diam., bears S.45*E., 12 lks. Marked $\frac{1}{4}$ S B T. A fir, 28 ins. diam., bears N.62*W., 56 lks. dist. Marked $\frac{1}{4}$ S B T.</p>	
56.20	A creek, 20 lks. wide, C NE.	
74.80	A creek, 20 lks. wide, C NW.	
76.75	Same creek, 20 lks. wide, C NE.	
80.00	<p>Set a stone, 13x13x12 ins., 10 ins. in ground with 2 notches on East and 4 notches on South angles of same for the cor. to secs. 10, 11, 14, and 15, from which An alder, 13 ins. diam., bears N.35*E., 27 lks. dist. Marked T 31 S R 5 W S 11 B T. A fir, 32 ins. diam., bears S.40*E., 29 lks. dist. Marked T 31 S R 5 W S 14 B T. A fir, 14 ins. diam., bears S.45*W., 27 lks. dist. Marked T 31 S R 5 W S 15 B T. A yew, 14 ins. diam., bears N.40*W., 28 lks. dist. Marked T 31 S R 5 W S 10 B T.</p> <p>Land, mountainous and broken. Soil, rocky, fourth rate.</p>	