

Subdivisions of T. 31, R. 6 W.

CHAINS	
	North, on random line bet. secs. 5 and 6. Va.19*E.
	Ascend.
13.00	Top of ridge, course NE. and SW.
	Descend.
40.00	Set tem. $\frac{1}{4}$ sec. cor. at foot of hill, moderate ascent.
50.50	Top of spur, course NE.
	Steep descent to
66.00	Along side hill facing W.
81.36	Intersect N. bdy. of Tp. 12 lks. E. of cor. to secs., 5, 6, 31 and 32, which is a post, 4 ins. sq., set firmly in the ground and mkd. T 30 S S 32 on NE. T 31 S S 5 on SE. R 6 W S 6 on SW. and S 31 on NW. faces with 5 notches on E. and 1 notch on W. edges, from which A Laurel, 8 ins. dia., bears N.86*E., 19 lks. dis. mkd. T 30 S R 6 W S 32 B T. A Laurel, 5 ins. dia., bears S.38*E., 25 lks. dis. mkd. T 31 S R 6 W S 5 B T. A Fir, 25 ins. dia., bears S.85*W., 30 lks. dis. mkd. T 31 S R 6 W S 6 B T. A Laurel, 6 ins. dia., bears N.3*W., 40 lks. dis. mkd. T 30 S R 6 W S 31 B T. Thence I run S.5'E., on true line bet. secs. 5 and 6. Va.17*45'E.
41.36	Set a Fir post, 3 ft. long, 3 ins. sq., 18 ins. in the ground for $\frac{1}{4}$ sec. cor. mkd. $\frac{1}{4}$ S on W. face, from which A Laurel, 6 ins. dia., bears E.16lks. dis., mkd. $\frac{1}{4}$ S B T. A Laurel, 14 ins. dia., bears N.89*W., 44 lks. dis. mkd. $\frac{1}{4}$ S B T.