

Retracement Portion Subdivisions, T. 31 S., R. 7 W.,

CHAINS

ground, for $\frac{1}{4}$ sec. cor., with brass cap marked
$$\begin{array}{c} \frac{1}{4} \\ S5 \mid S4 \\ 1918 \end{array}$$

from which

A Fir, 7 ins. diam., bears S.5°E., 43 lks. dist.,
marked $\frac{1}{4}$ S 4 B T (New B.T.)

A madrona, 10 ins. diam., bears S.14°E., 14 lks. dist.,
marked $\frac{1}{4}$ S 4 B T (Old B.T.)

A yellow pine, 24 ins. diam., bears N.71°15'W., 142
lks. dist., marked $\frac{1}{4}$ S 5 B T (New B.T.)

The true course and length of this line is N.1°0'W.,
38.56 chs.

I continue my measurements from the $\frac{1}{4}$ sec. cor. North,
surveying the line bet. secs. 4 and 5.

43.10 Top of spur, slopes E.; descend.

44.90 Trail, bears E. and W.; descend steep NE. slope.

49.00 Ravine, course E.; ascend.

50.35 Low spur, slopes E.; descend.

56.30 Creek, 3 lks. wide, course E.; ascend steep S. slope.

65.25 Ravine, course S.70°W.

67.75 Ascend bluffs, sloping SW.

70.00 After diligent search I fail to find any evidence of the
old witness cor.

77.75 Foot of conglomerate bluffs.

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for witness cor. to the cor. of secs. 4 and 5,
with brass cap marked

$$\begin{array}{c} WC \\ \hline S5 \mid S4 \\ T31S \mid R7W \\ 1918 \end{array}$$

FROM WHICH

A live oak, 6 ins. diam., bears S.87°30'W., 51 lks. dist.
marked W C T 31 S R 7 W S 5 B T.

A white oak, 10 ins. diam., bears S.55°15'E., 126 lks.