

SUBDIVISIONS OF T. 31 S., R. 9 W.

CHAINS	
40.00	Marked a Chinquapin, 5 ins. diam., S 23 on E and S 22 $\frac{1}{4}$ S on W. for the $\frac{1}{4}$ Sec. cor. from which A Fir, 20 ins. diam., bears S.85*E., 36 lks. dist., marked S 23. $\frac{1}{4}$ S B T. A Chinquapin, 8 ins. diam., bears N.85*W., 36 lks. dist., marked S 22 $\frac{1}{4}$ S B T.
50.00	Top of high spur of mountain, course NW. Steep descent.
80.00	Set a Basalt stone, 18x8x6 ins. 12 ins. in ground for corner to Secs. 14, 15, 22 and 23, marked 3 notches on the S and 2 notches on the E. edges, from which A Fir, 12 ins. diam., bears N.45*E., 128 lks. dist., marked T 31 S R 9 W S 14 B T. A Fir, 8 ins. diam., bears S.8*E., 40 lks. dist., marked T 31 S R 9 W S 23 B T. A Fir, 20 ins. diam., bears S.75*W., 60 lks. dist., marked T 31 S R 9 W S 22 B T. A White Fir, 8 ins. diam., bears N.28*W., 31 lks. dist., marked T 31 S R 9 W S 15 B T. Land, mountainous. Soil, rocky, 3rd rate. Timber, Fir, Cedar, Hemlock, Yew, Chinquapin and Laurel. Undergrowth, Fir, Cedar, Hemlock, Yew, Chinquapin and Laurel. Mountainous, heavily timbered or covered with dense undergrowth. 80.00 chains.
40.00	S.89*58'E on random line bet. Secs. 14 and 23. Set temp. $\frac{1}{4}$ Sec. corner.
80.10	Intersect N and S line 4 lks. S of corner of Secs. 13, 14, 23 and 24. Thence I run West, between Secs. 14 and 23. Ascend mountain.

-600