

SUBDIVISIONS OF T. 31 S., R. 9 W.

CHAINS

Soil, rocky, 3rd and 4th rate.

Timber, Fir, Hemlock, Cedar, Chinquapin, Laurel and Yew.

Undergrowth, Fir, Hemlock, Cedar, Chinquapin, Laurel,
Yew, Balm, Vinemaple, and Rhododendron.Mountainous, heavily timbered or covered with dense
undergrowth. 80.00 chains.

May 10th, 1901.

N.89°51'E on random line bet. Secs. 3 and 10.

40.00 Set temp. $\frac{1}{4}$ Sec. corner.79.96 Intersect N and S line 40 lks. N of Cor. of Secs. 2, 3,
10 and 11.

Thence I run

N.89°52'W on true line bet. Secs. 3 and 10.

Ascend along N. slope.

12.00 Top of spur on line, course N. +200

Steep descent.

16.00 Gradual descent. -200

39.98 Marked a Hemlock, 6 ins. diam., S $3\frac{1}{4}$ S on N and S 10
on S faces for the $\frac{1}{4}$ Sec. corner from whichA Hemlock, 8 ins. diam., bears S.9°E., 5 lks.
dist., marked S 10 $\frac{1}{4}$ S B T.A Hemlock, 16 ins. diam., bears N.36°W., 10 lks.
dist., marked S 3 $\frac{1}{4}$ B T.

48.25 Top of spur on line, course NE.

49.20 A creek 1 lk. wide, course NE. -200

56.50 A creek 1 lk. wide, course NE.

70.00 Top of spur on line, course N.35°E. +250

79.96 To corner of Secs. 3, 4, 9 and 10. -200

Land, mountainous.

Soil, rocky, 3rd and 4th rate.

Timber, Fir, Hemlock, Cedar, Laurel, Chinquapin and Yew.

Undergrowth, Fir, Hemlock, Cedar, Laurel, Chinquapin,
Yew, Rhododendron and Balm.