

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 32 S. R. 1 W. W. M.

CHAINS

Land, high and mountainous; Soil, 3rd rate.
 Densely covered with forest of fir and cedar. 80.00chs
 Thick undergrowth of vine maple, dogwood, arrowwood and
 chincapin. December 5, 1883.

Va. 19°30'E.

North bet. secs. 13 and 14.

- 39.00 Top of ridge, bears E. and W., 300 ft. above sec. cor. and descend.
 - 40.00 Set a basalt stone, 14x12x6 ins. 10 ins. in ground for $\frac{1}{4}$ sec. cor. 30 ft. below top of ridge, mkd. $\frac{1}{4}$ on W. face, from which
 - A Fir, 14 ins. diam., bears S.72°E., 7 lks. dist. mkd. $\frac{1}{4}$ S B T.
 - A Fir, 12 ins. diam., bears N.52°W., 16 lks. dist. mkd. $\frac{1}{4}$ S B T.
 - 47.00 Ravine, course E., 200 ft. below $\frac{1}{4}$ sec. cor. and ascend.
 - 65.50 Top of ridge, bears E and W. 250 ft. above last ravine and descend.
 - 80.00 Set a basalt stone, 12x12x8 ins. ^{8 ins.} in ground for cor. to sec. 11, 12, 13 and 14, 250 ft. below top of last ridge, mkd. with 4 notches on S. and 1 notch on E. edges, from which
 - A Fir, 25 ins. diam., bears N.35°E., 34 lks. dist. mkd. T 32 S R 1 W S 12 B T.
 - A Fir, 4 ins. diam., bears S.39°E., 38 lks. dist. mkd. T 32 S R 1 W S 13 B T.
 - A Fir, 12 ins. diam., bears S.22°W., 14 lks. dist. mkd. T 32 S R 1 W S 14 B T.
 - A Fir, 30 ins. diam., bears N.27°W., 44 lks. dist. mkd. T 32 S R 1 W. S 11 B T.
- Land, high and mountainous; Soil, 3rd rate. sandy.