

Subdivisions of T. 32 S., R. 1 W., W. M.

CHAINS

- 40.00 A point about 100 ft. above last creek and set a basalt stone, 14x10x6 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor. mkd. $\frac{1}{2}$ on W. face, from which
- A yew, 14 ins. in diam., bears N.75°E., 20 lks. dist.
 Marked $\frac{1}{4}$ S B T
 A fir, 8 ins. in diam., bears S.43°W., 18 lks. dist.
 Marked $\frac{1}{4}$ S B T
 Descend 200 ft. to
- 65.90 Creek, 5 lks. wide, runs N.15°E.
- 80.00 A point about 150 ft. above creek and set a basalt stone, 14x12x6 ins., 10 ins. in the ground for cor. to secs. 3, 4, 9 and 10, mkd. with 5 notches on S. and 3 notches on E. edges, from which
- A fir, 6 ins. diam., bears N.60°E., 10 lks. dist.
 mkd. T 32 S R 1 W S 3 B T
 A fir, 10 ins. diam., bears S.73°E., 4 lks. dist.
 mkd. T 32 S R 1 W S 10 B T.
 A fir, 4 ins. diam., bears S.35°W., 5 lks. dist.
 mkd. T 32 S R 1 W S 9 B T.
 A fir, 10 ins. diam., bears N.50°W., 6 lks. dist.
 mkd. T 32 S R 1 W S 4 B T.
- Land, high and mountainous; soil, 2nd and 3rd rate.
 Densely covered with forest of fir and hemlock.
 Thick undergrowth of fir, hemlock and elk brush. 80.00 chs.
-
- Va.20°30'E.
- East, on a random line bet. secs. 3 and 10.
 Through timber and thick brush.
 Descend to
- 5.50 Creek, 5 lks. wide, runs N.15°E., about 100 ft. below sec. cor.
- 7.50 Creek, 10 lks. wide, runs N. and ascend 400 ft. to
- 40.00 Set tem. $\frac{1}{4}$ sec. cor. on top of ridge, slopes N. and descend gradually 300 ft. to
- 80.00 Intersect N. and S. line, 20 lks. S. of the cor. to secs. 2, 3, 10 and 11.
- Thence I run