

## County Surveyor's Record, Douglas County, Oregon

## Subdivisions of T. 32 S., R. 2 W.

CHAINS	
	S.89°54'W., on a random line between secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Intersect W. Bdy. of Tp. 37 lks. S. of the cor. of secs. 1, 6, 7, and 12.
	Thence, I run S.89°50'E., on a true line between secs. 6 and 7.
	Ascend along N. slope of mountain, through heavy timber and dense undergrowth.
24.75	Ravine, 50 ft. deep, course N.10°W.
27.50	Leave heavy timber and enter dense jungle of laurel, matherone and scattering fir, bears N. and S.
37.50	Leave jungle and enter heavy timber, bears N. and SW.
40.00	Set an ironstone, 20x15x4 ins., 15 ins. in ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on the N. face, from which A fir, 20 ins. diam., bears N.31°E., 13 lks. dist. Marked $\frac{1}{4}$ S 6 B T. A fir, 12 ins. diam., bears S.18°W., 11 lks. dist. Marked $\frac{1}{4}$ S 7 B T.
48.75	Leave heavy timber and enter scattering timber, bears N. and S.
72.00	Ridge point, 400 ft. above sec. cor., descends toward the SW. Descend gradually.
80.00	The cor. of secs. 5, 6, 7, and 8. Land, mountainous. Soil, sandy, second rate. Timber, fir, hemlock, matherone and black pine. Undergrowth, laurel, matherone and small firs. Mountainous land. 80.00 chs,
	Thence, I run N.0°05'W., between secs. 5 and 6.
	Ascend S. slope through scattering timber and dense undergrowth.
4.50	Summit of ridge, 50 ft. above sec. cor., bears E. and W. Descend into basin.
37.00	Ravine, 100 ft. deep, course West. Ascend.
40.00	Set a basalt stone, 18x12x8 ins., 12 ins. in ground,