

Dependent Resurvey of East Bdy. of T. 32 S., R. 3 W.

CHAINS

Land, mountainous.
 Soil, decomposed granite, third rate.
 Timber, fir, hemlock and madrona.
 Undergrowth, snow brush, rhodendron, chinquapin, fir
 and hemlock.

N.0*26*E., on a true line along the E. bdy. of sec. 24.
 Ascend SW. slope, through dense undergrowth.

2.00 Spur, slopes West, descend NW. slope.

7.58 Intersect the old cor. of secs. 19, 24, 25 and 30, which
 is a stone, firmly set, marked and witnessed as
 described by the Surveyor General and which I now
 change to refer to secs. 19 and 30, T. 32 S., R. 2 W.,
 only and destroy marks on bearing trees referring to
 R. 3 W.

I continue my measurements.

N.0*02*E., on true line along the E. bdy. of sec. 24.

13.50 Creek, 2 lks. wide, course W., Ascend SW. slope.

21.50 Ravine, course SW.

30.30 Ridge, bears E. and W., descend NE. slope.

34.75 Ravine, course NW.

40.00 Set a slate stone, 18x12x4 ins., 12 ins. in ground, for
 $\frac{1}{4}$ sec. cor. of sec. 24 only, marked $\frac{1}{4}$ on W. face,
 from which

A madrona, 12 ins. diam., bears S.36*W., 83 lks.

Marked $\frac{1}{4}$ S 24 B T.

A fir, 6 ins. diam., bears N.34*W., 40 lks. dist.

Marked $\frac{1}{4}$ S 24 B T.

49.34 Apportioned distance.

Set a slate stone, 16x8x6 ins., 11 ins. in ground, for
 $\frac{1}{4}$ sec. cor. of sec. 19, T. 32 S., R. 2 W., only, marked
 $\frac{1}{4}$ on E. face, from which

A fir, 8 ins. diam., bears N.44*E., 26 lks. dist.

Marked $\frac{1}{4}$ S 19 B T.

A fir, 6 ins. diam., bears S.85*E., 12 lks. dist.

Marked $\frac{1}{4}$ S 19 B T.