

Subdivisions of T. 32 S., R. 3 W.

CHAINS  
40.00

Set a slate stone 12x10x5 ins., 8 ins. in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  on North face, from which

A Red Fir, 10 ins. diam., bears N.52\*E., 21 lks. dist. marked  $\frac{1}{4}$  S 12 B T.

A Red Fir, 6 ins. diam., bears S.50\*E., 29 lks. dist., marked  $\frac{1}{4}$  S 13 B T.

56.00 Summit of ridge, bears NE. and SW.

Descend East slope to Cow creek.

96.40 Cow creek, 25 lks. wide, course North.

97.50 Intersect East Bdy. of the Tp. 9.00 chs. North of the cor. of Secs. 7, 12, 13 and 18, which is an ironstone 12x10x6 ins. above ground, firmly set and marked and witnessed as described by the surveyor general.

At the point of intersection is an iron rock in place, 12x12x10 ins. above ground, for closing cor. of Secs. 12 and 13, I mark CC on W, with 2 grooves on N and 4 grooves on S face, from which

An Alder, 16 ins. diam., bears N.60\*W., 69 lks. dist. marked T 32 S R 3 W S 12 B T.

A White Fir, 24 ins. diam., bears S.23\*W., 57 lks. dist., marked T 32 S R 3 W S 13 B T.

No bearing trees at former cor. referring to these Secs. Land, mountainous.

Soil, loam and stony; second and third rate.

Timber, Red and White Fir, Sugar Pine, Cedar and Hemlock.

Undergrowth, Arrowwood, Hazel, Vine Maple and Laurel.

Mountainous or heavily timbered land or land covered with dense undergrowth, 97.50 chs.

September 3, 1905.

At the cor. of secs. 11, 12, 13 and 14. Thence, I run

S.0\*1'E., between Secs. 13 and 14.