

Retracement-Reestablishment of Subdivision of T.32 S., R. 3 W.

CHAINS

Set a granite stone, 16 x 14 x 6 ins., 11 ins. in the ground, for $\frac{1}{4}$ Sec. cor., for Sec. 17 only, marked $\frac{1}{4}$ on North face, from which

A Fir, 40 ins. diam., bears N.77*E., 83 lks. dist., marked $\frac{1}{4}$ S 17 B T.

A Fir, 14 ins. diam., bears N.8*W., 51 lks. dist., marked $\frac{1}{4}$ S 17 B T.

40.40 Ravine, course NE. Ascend East slope.

44.75 Ridge, divide between Dismal and Snow creek, and trail to Anchor, bears North and South. Descend SW. slope.

49.75 Ravine, course SW. Along South slope.

58.50 Spur, slopes SW. Trail to Anchor, bears NE. and SW. Descend West slope.

65.65 Foot of descent. Trail to Anchor, bears North and South.

67.00 Snow creek, 10 lks. wide, course North. Ascend East slope.

80.50 Intersect point for cor. of Secs..17, 18, 19 and 20, located by reference to the bearing trees. All other traces of the cor. have disappeared. I reestablish this cor. in its original position for the cor. of Secs. 17 and 18 only, as follows:

Set a serpentine stone, 16 x 8 x 6 ins., 11 ins. in the ground, for cor. of Secs. 17 and 18 only, marked with 5 notches on East edge, from which

A Fir, 10 ins. diam., bears N.18*E., 12 lks. dist., marked T. 32 S R 3 W S 17 B T.

A Fir, 8 ins. diam., bears N.82*W., 23 lks. dist., marked T 32 S R 3 W S 18 B T.

I destroy the marks on former bearing trees referring to Secs. 19 and 20.

Land, mountainous.

Soil, decomposed granite; third rate.