

Extension Survey of the Subdivision of T. 32 S., R. 3 W.

CHAINS	
	Descend West slope, through dense timber and undergrowth.
9.10	Ravine, course NW. Descend SW. slope.
17.50	Creek, 5 lks. wide, course NW. Ascend East slope.
21.40	Spur, slopes NE.
23.00	Ravine, course NE.
31.50	A Spur, slopes North. Descend West slope.
40.00	Set a granite stone, 16 x 12 x 10 ins., 11 ins. in the ground, for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ on North face, from which <div style="margin-left: 40px;">A Fir, 20 ins. diam., bears N.10*E., 48 lks. dist., marked $\frac{1}{4}$ S 28 B T. A Fir, 48 ins. diam., bears S.50*W., dist. 50 lks., marked $\frac{1}{4}$ S 33 B T.</div>
41.80	East Fork of Applegate Creek, 8 lks. wide, course North. Ascend NE. slope.
49.80	Spur, slopes North. Along North slope.
55.80	Ravine, course North.
60.00	Spur, slopes North. Descend NW. slope.
72.60	Ravine, course North.
74.50	Spur, slopes North.
78.20	Creek, 2 lks. wide, course North. Ascend East slope.
80.00	Set a sandstone, 18 x 10 x 8 ins., 12 ins. in the ground, for cor. of Secs. 28, 29, 32 and 33, marked with 1 notch on South and 4 notches on East edge, from which <div style="margin-left: 40px;">A Fir, 40 ins. diam., bears N.3*E., 73 lks. dist., marked T 32 S R 3 W S 28 B T. A Hemlock, 6 ins. diam., bears S.81*E., 35 lks. dist., marked T. 32 S R 3 W S 33 B T. A Fir, 40 ins. diam., bears S.76*W., 57 lks. dist., marked T 32 S R 3 W S 32 B T. A Fir, 60 ins. diam., bears N.47*W., 13 lks. dist., marked T 32 S R 3 W S 29 B T.</div>
	Land, Mountainous.
	Soil, decomposed granite; third rate.