

Extension Survey of the Subdivision of T. 32 S., R 3 W.

CHAINS

A Fir. 28 ins. diam., bears S.67\*E.. 22 lks. dist.,  
marked  $\frac{1}{4}$  S 36 B T.

A Fir. 18 ins. diam., bears S.4\*W.. 29 lks. dist.,  
marked  $\frac{1}{4}$  S 35 B T.

64.00 Begin descent of NE. slope.

76.45 Ravine. course East. Ascend SE. slope.

80.02 The cor. of Secs. 25. 26. 35 and 36.

Land. mountainous.

Soil. deep. red clay loam, somewhat stony; second and  
third rate.

Timber. Fir. Hemlock and Cedar.

Undergrowth. Rhododendron. Hemlock and Yew.

September 24, 1913.

At the cor. of Secs. 25. 26. 35 and 36.

Thence I run.

North. on a Sectional Guide Meridian. between Secs. 25  
and 26.

Ascend SE. slope. through scattering timber and dense  
undergrowth.

3.70 Ravine. course SE.

16.00 Spur. slopes East. Descend NE. slope.

28.50 Ravine. course East. Ascend SE. slope.

29.00 Enter open, rocky hillside. bears East and West.

36.00 Spur. slopes East. Descend NE. slope.

40.00 Set a serpentine stone, 18x12x6 ins., 12 ins. in the  
ground, for  $\frac{1}{4}$  Sec. cor.. marked  $\frac{1}{4}$  on West face, from  
which

A Cedar. 10 ins. diam., bears N.30\*E.. 19 lks. dist.,  
marked  $\frac{1}{4}$  S 25 B T.

A Cedar. 12 ins. diam., bears N. 82\*W.. 27 lks. dist.,  
marked  $\frac{1}{4}$  S 26 F T.

Enter heavy timber and dense undergrowth, bears East and  
West.