

## County Surveyor's Record, Douglas County, Oregon

## Extension Survey of the Subdivision of T. 32 S., R. 3 W.

CHAINS  
55.90

Creek, 4 lks. wide, course NE. Along E. slope.

65.20

Creek, 1 lk. wide, course E.

67.80

Spur, slopes E.

73.55

Ravine, course SE. Ascend S. slope.

80.00

Point for sec. cor. falls on a serpentine rock in place.

18x18x15 ins., above ground, on which I cut a cross

(X) at exact point for cor. of secs. 23, 24, 25 and 26,

with 2 notches S. and 1 notch E. of cross; from which

A Fir, 40 ins. diam., bears N.7°E., 58 lks. dist.,

marked T 32 S R 3 W S 24 B T.

A Cedar, 20 ins. diam., bears S. 44°E., 53 lks. dist.,

marked T 32 S R 3 W S 25 B T.

A Fir, 40 ins. diam., bears S.53°W., 14 lks. dist.,

marked T 32 S R 3 W S 26 B T.

A Cedar, 20 ins. diam., bears N.69°W., 31 lks dist.,

marked T 32 S R 3 W S 23 B T.

Land, mountainous.

Soil, to 28 chs. stony clay loam; 3rd rate; easterly exposure; to 80.00 chs. rocky, unfit for cultivation.

Timber, Fir, Hemlock and Cedar.

Undergrowth, Rhododendron, Arrowwood, Willow and Yew.

September 30, 1913.

October 5: At the cor. of Secs. 23, 24, 25 and 26.

Thence I run

North, on a Sectional Guide Meridian, bet. sec. 23 and 24.

Ascend rocky SE. slope, on E. slope of mountain.

through dense timber.

4.00

Leave heavy; enter scattering timber and low manzanita.

bears E. and W.

17.00

Ravine, course E.

26.15

Spur, slopes E. Descend rocky NE. slope.

34.60

Rocky ravine, course E. Ascend rocky SE. slope.

40.00

Point for  $\frac{1}{4}$  sec. cor. falls on exposed serpentine bedrock.on which I cut a cross (X) at exact point, for  $\frac{1}{4}$  sec.cor., and mark  $\frac{1}{4}$  W. of cross; from which