

Subdivisions, T. 32 S., R. 4 W.

CHAINS

Aug. 18: At this corner at the 7h, 15m., a.m., l.m.t.,
I set off 42°45'N. on lat. arc and 12°55'N. on the
decl. arc, and determine a true meridian with the solar.
Mag. decl. 18°30'E.

Thence, I run

West on a true line, bet. secs. 25 and 36, along hill-
side sloping S.

3.40 Creek, 3 lks. wide, S. SE. Begin ascent.

40.00 Set a basalt stone 12 x 8 x 7 ins., 8 ins. in the ground
for $\frac{1}{4}$ sec. corner, marked $\frac{1}{4}$ on N. face, from which,
A Fir, 42 ins. diam., bears N.9°W., 53 lks. dist.
marked $\frac{1}{4}$ S., B. T.

A Fir, 12 ins. diam., bears S.20°E., 50 lks. dist.,
marked $\frac{1}{4}$ S., B. T.

This $\frac{1}{4}$ sec. corner is on a hillside, sloping SE., about
600 ft. above creek.

44.45 Trail bears N. and S., 50 ft. above $\frac{1}{4}$ sec. corner.

48.00 Top of ridge, bears N. and S., 25 ft. above trail. Descend.

7475 Creek, 4 lks. wide, C. SW. 450 ft. below top of ridge.
Gradually asc. along hillside, sloping S.

80.00 Set a basalt stone, 12 x 10 x 8 ins., 8 ins. in the
ground for corner of secs. 25, 36, 35 and 26, marked
with 5 notches on W. and 1 notch on E. edges; from
which,

A Cedar, 24 ins. diam., bears N.20°E., 278 lks. dist.
marked T.32 S., R. 4 W., S. 25 BT.

A Fir, 12 ins. diam., bears S.9°E., 89 lks. dist.,
marked T. 32 S., R. 4 W., S. 36 B. T.

A Cedar, 12 ins. diam., bears S.88°W., 69 lks. dist.,
marked T. 32 S., R. 4 W., S. 35, B. T.

A Pine, 20 ins. diam., bears N.9°W., 247 lks. dist.,
marked T.32 S., R. 4 W., S. 26 B. T.