

## Subdivisions, T. 32 S., R. 4 W.

CHAINS	
6.48	Creek, 3 lks. wide, C. SW. 75 ft. below sec. corner; asc. spur.
7.25	Creek, 1 lk. wide, C. S.80*W.,
13.50	Top of spur, slopes S., 60 ft. above creek; desc.
20.55	Creek, 1 lk. wide, C. S., 40 ft. below top of last spur.
22.75	Creek, 1 lk. wide, C. SW., 60 ft. below top of last spur; asc. spur.
31.25	Top of spur, slopes SW., 150 ft. above last creek, asc. on S. slope of mountain.
40.00	Set a Madrona post, 3 ft. long, 4 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. corner, marked $\frac{1}{4}$ S. on N. face, from which <div style="margin-left: 40px;"> <p data-bbox="410 1237 1442 1333">A Fir, 14 ins. diam., bears N.53*W., 140 lks. dist., marked <math>\frac{1}{4}</math> S., B. T.</p> <p data-bbox="410 1366 1442 1462">A Fir, 10 ins. diam., bears S. 14*E., 113 lks. dist., marked <math>\frac{1}{4}</math> S., B. T.</p> </div> <p data-bbox="354 1495 1442 1591">This corner is on the S. slope of mountain, 150 ft. above last spur.</p>
41.25	Top of spur, slopes S., 20 ft. above $\frac{1}{4}$ sec. corner; desc.
49.07	Creek, 1 lk. wide, C. S.10*W., 35 ft. below top of last spur; asc. spur.
52.00	Top of spur, slopes S., 50 ft. above creek; desc.
55.00	Ravine, C. S., 25 ft. below top of spur; asc.
62.50	Top of ridge, bears NW. and SE., 100 ft. above ravine; desc.
69.94	Creek, 1 lk. wide, C. N.70*E., 125 ft. below top of ridge; asc.
71.40	Intersect N. and S. line, 830 chs. S.0*2'E. of the temp. corner of secs. 2, 3, 10 and 11, which I establish as follows: <div style="margin-left: 40px;"> <p data-bbox="354 2398 1442 2502">Set a Fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for NW. corner of sec. 11, marked</p> </div>