

Subdivisions, T. 32 S., R. 4 W.

CHAINS

T. 32 S., S. 3 on NE., R. 4 W., S. 11 on SE., S. 3 on SW., and S. 3 on NW. faces, with 2 notches on E. and 5 notches on S. edges; from which

A Fir, 24 ins. diam., bears S.48°E., 63 lks. dist., marked T.32 S., R. 4 W., S. 11, B. T.

At point of intersection, 830 S. of this corner,
Set a Fir post; 3 ft. long, 4 ins. sq., 24 ins. in the ground for a closing corner of secs. 3 and 10, marked C. C., T. 32 S., R. 4 W. on W., S. 3 on N., and S. 10 on S., with 5 grooves on S. face; from which

A Fir, 6 ins. diam., bears N.35°W., 55 lks. dist., marked T. 32 S., R. 4 W., S. 3, B. T.

A Fir, 36 ins. diam., bears S.75°W., 139 lks. dist., marked T. 32 S., R. 4 W., S. 10, B. T.

This closing corner is on the S. slope of spur, 20 ft. above creek.

Land, mountainous.

Soil, third and fourth rate,

Timber, scattering Fir, Madrona, Hemlock and Maple.

Dense undergrowth of Madrona, Ocean-spray, Mountain-balm, Rhododendron and Vine-maple.

Land, mountainous or covered with dense undergrowth.

7L.40 chs.

The measurement and closing distance of the S. bdy. of sec. 3, indicate discrepancies greater than the required limits; therefore, I retrace the W. and N. bdys. of sec. 3 to locate the error.

From the established corner of secs. 3, 4, 9 and 10,

I run

North, on a blank line, bet. secs. 3 and 4.

40.01 To a point 4 lks. E. of the $\frac{1}{2}$ sec. corner; post destroyed; bearing trees standing, from which I reestablish this $\frac{1}{2}$ sec. corner as follows: