

County Surveyor's Record, Douglas County, Oregon

Subdivisions, T. 32 S., R. 4 W.

CHAINS

A Fir, 12 ins. diam., bears N.87*E., 131 lks. dist.,
marked T 32 S R 4 W S 9 B T.

A Fir, 10 ins. diam., bears S.68*E., 71 lks. dist.,
marked T 32 S R 4 W S 16 B T.

A Fir, 12 ins. diam., bears S.56*W., 150 lks. dist.,
marked T 32 S R 4 W S 17 B T.

A Madrona, 6 ins. diam., bears N.40*W., 77 lks. dist.,
marked T 32 S R 4 W S 8 B T.

This corner is on the southerly slope of ridge, 100 ft.
above ravine.

Land, mountainous.

Soil, third and fourth rate.

Timber, fir, madrona, yew and alder.

Dense undergrowth of rhododendron, madrona, hazel,
huckle-berry and ocean-spray.

Mountainous land, heavily timbered or covered with
dense undergrowth, 80.00 chs.

South, 89*46*W. on a random line, bet. secs. 9 and 16.

40.00 Set a temp. $\frac{1}{4}$ sec. corner.

80.06 Intersect N. and S. line, 6 lks. S. of the corner of
secs. 9, 10, 15 and 16.

Thence, I run

North, 89*49*W. on a true line, bet. secs. 9 and 16.

Asc. spur.

2.50 Top of spur, slopes SE., 50 ft. above sec. corner; desc.

5.00 Ravine, C. SE., 25 ft. below top of last spur, asc. spur.

11.25 Top of spur, slopes SE., 100 ft. above last ravine; desc.

12.70 Ravine, C. SE., 25 ft. below top of spur; asc.

39.50 Top of ridge, bears NE. and SW., 100 ft. above last
ravine; desc.

40.03 Set a cedar post, 3 ft. long, 4 ins. sq., 24 ins. in
the ground for $\frac{1}{4}$ sec. corner, marked $\frac{1}{4}$ S on N. face;
from which