

61
County Surveyor's Record, Douglas County, Oregon

Subdivisional Lines of T. 32 S., R. 5 W.,

CHAINS

- 34.85 Ft. of descent; begin ascent.
- 40.00 Set a cedar post, 3 ft. long, 3 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. 7 on W. face, and 8 on E. face, from which
- A Fir, 14 ins. diam. bears N.75*E., 10 lks.
Marked $\frac{1}{4}$ S. 8 B.T.
- A Fir, 30 ins. diam. bears N.35*W., 4 lks.
Marked $\frac{1}{4}$ S. 7 B. T.
- This cor. stands on W. slope of ridge, 60 ft. above ft. of descent; continue ascending.
- 51.50 Top of mountain ridge, bears NW. and SE., 225 ft. above $\frac{1}{4}$ sec. cor.; begin descent of NE. slope.
- 77.60 A Stream, 5 lks. wide, C. W.; 300 ft. below ridge.
- 78.20 A mountain trail bears SE. and NW.
- 80.00 Set a yew post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, marked T. 32 S. S. 5 on NE., R. 5 W. S. 8 on SE., S. 7 on SW., and S. 6 on NW. faces; with 5 notches on S. and E. edges, from which
- A Fir, 36 ins. diam. bears N.71*E., 33 lks.
Marked T. 32 S. R. 5 W. S. 5 B. T.
- A Wh. Fir, 12 ins. diam. bears S.42*E., 21 lks.
Marked T. 32 S. R. 5 W. S. 8 B.T.
- A Fir, 30 ins. diam. bears S.20*W., 60 lks.
Marked T. 32 S. R. 5 W. S. 7 B.T.
- A Fir, 28 ins. diam. bears N.41 $\frac{1}{2}$ *W., 32 lks.
Marked T. 32 S. R. 5 W. S. 6 B.T.

Land mountainous.

Soil, gravelly and rocky; 3rd and 4th rate.

Timber, fir, cedar, sugar pine, laurel.

Undergrowth, hazel, arrowwood, small firs.

Mountainous or heavily timbered land 80.00 chs.

July 25, 1901.

At cor. of secs. 5, 6, 7 and 8. Thence I run