

Retracement of Subdivisional Lines of T. 32 S., R. 5 W.

CHAINS

A Fir, 8 ins. diam., bears N.50*W., 35 lks.

Marked T 32 S R 5 W S 34 B T.

A Fir, 45 ins. diam., bears S.54*W., 70 lks.

Marked T 33 S R 5 W S 3 B T.

These trees do not agree with the description furnished by the surveyor general. I think they were not made by the U. S. surveyor of the Offset Meridian, but were made afterwards by the U. S. surveyor, running the closing line from the S. bet. Secs. 2 and 3.

Land, mountainous.

Soil, gravelly 3rd rate.

Timber, Fir, Pines, Laurels.

Undergrowth, Hazel, Arrowwood, small Firs and Laurels.

Mountainous or heavily timbered land 80.95 chs.

To be doubly sure, there being 2 cor. set by U. S. deputy surveyor, I run from original Sec. cor., set by the U. S. surveyor, running the closing line, E. bet. Secs. 2 and 35.

- 6.21 Intersection of line, run by U. S. Surveyor, N.; descend E. mountain slope.
- 11.95 A Fir, 30 ins. diam., marked with 2 notches on E. and W. sides.
- 12.85 Miners' ditch, 15 lks. wide, 8 ft. deep, C. NE.
- 15.75 A stream, 5 lks. wide. C. NE.
- 19.85 Miners' ditch, 100 lks. wide, 16 ft. deep, C. N.
- 23.63 Miners' flume 24x36 ins., C. N.
- 24.30 Bed of old dry creek, C. N., 200 ft. below Sec. cor., ft. of descent; enter bottom, covered with a dense undergrowth, bears N. and S.
- 24.60 Wagon road to mines; bears N. and S.
- 29.45 Quine's creek, 30 lks. wide. C. NW.
- 39.87 The $\frac{1}{4}$ sec. cor.; cor. is gone, only stump of SE. B T. remains; set a fir post, 3 ft. long, 3 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked S C $\frac{1}{4}$ S 35 on N. face and 2 on S. face, from which