

Retracement of Subdivisional Lines of T. 32 S., R. 5 W.,

CHAINS	
35.00	Leave heavy fir timber; enter dense undergrowth of small firs and laurels, hazel, bears E. and W.
40.00	Set temp. $\frac{1}{4}$ sec. cor. on E. side of mountain; continue ascent. All traces of bearing trees have disappeared.
55.50	Top of spur, bears NE, and SW.; 200 ft. above $\frac{1}{4}$ sec. cor.; begin descent of NE. slope.
61.00	Begin steeper descent of N. slope.
72.50	Ft. of mountain; 275 ft. below top of spur; enter creek bottom, bears E. and W.
73.50	A barn is W. of line, 25 lks. dist.
79.87	Intersect E. and W. line, 112 lks. W. of cor. of secs. 20, 21, 28 and 29, making true bearing of line N.0*48'E., which is now the E. gatepost of Wilson; and witnessed as described by the surveyor general.
	Land, level and hilly.
	Soil, loamy and gravelly; 1st and 3rd rate.
	Timber, fir, cedar, pine, laurel.
	Undergrowth, hazel, V. maple, small firs.
<hr/>	
	From the cor. of secs. 29, 30, 31 and 32, already described, I run
	N.89*54'W. bet. secs. 30 and 31.
	Along and gradually ascending through bottom land, heavily timbered.
13.00	Begin a steeper ascent of NE. mountain slope.
19.00	Top of spur, bears N. and S.; 100 ft. above sec. cor.
19.85	A post, marked C. S.; continue ascent.
23.00	The ascent changes to E. slope and becomes steeper; leave heavy large timber, enter dense undergrowth of hazel, arrowwood, small firs.
29.00	Top of mountain ridge, bears N. and S.; 300 ft. above