

Retracement of Subdivisional Lines of T. 32 S., R. 5 W.,

CHAINS	
	sec. cor.; begin a steep descent.
36.50	Ft. of steep descent; becomes more gradual; 100 ft. below top of ridge.
40.10	<p>$\frac{1}{4}$ sec. cor. bears N. 26 lks.; the post having disappeared, I set a cedar post, 3 ft. long, 3 ins. sq., 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. 30 on N. face and 31 on S. face; and witnessed as described by the surveyor general, making the bearing of this line N.89°32'W., this cor. stands 225 ft. below of ridge.</p>
43.55	A ravine, C. N.; ascend a gradual N. slope.
54.00	Top of rise; begin gradual descent.
71.00	Ft. of descent; enter a bottom, covered with a dense undergrowth of small firs.
79.20	A stream, 5 lks. wide. C. N.
81.43	<p>Intersect W. bdy. of Tp., 35 lks. N. of cor. of secs. 25, 30, 31 and 36, making the bearing of this line N.89°46'W., the cor. having disappeared, I mark a fir, 10 ins diam. for cor. of secs. 25, 30, 31 and 36, T 32 S S 30 on NE., R 5 W S 31 on SE., S. 36 on SW., and R 6 W S 25 on NW. sides, with 5 notches on N., and 1 notch on S. sides, from which</p> <p style="padding-left: 40px;">A Fir, 8 ins. diam. bears N.10°E., 8 lks. dist. Marked T 32 S R 5 W S 30 B. T.</p> <p style="padding-left: 40px;">A Fir, 6 ins. diam. bears S.61°E., 33 lks. dist. Marked T 32 S R 5 W S 31 B. T.</p> <p style="padding-left: 40px;">A Fir, 12 ins. diam. bears S.40°W., 18 lks. dist. Marked T 32 S R 6 W S 36 B. T.</p> <p style="padding-left: 40px;">A Fir, 7 ins. diam. bears N.83°W., 50 lks. dist. Marked T 32 S R 6 W S 25 B. T.</p> <p>The only green original witness tree now standing is the SE. bearing tree; the others are new ones, I marked</p>