

Subdivisions of T. 32 S., R. 6 W.

CHAINS

An Alder, 20 ins. diam., bears S.55*W., 24 lks. dist.
 Marked $\frac{1}{4}$ S B T.

80.15 To the Cor. to secs. 13, 14, 23 and 24.

Lands hilly and rolling.

Soil generally 2nd. rate. Narrow valley along creek of
 sandy loam 1st. rate.

Timber chiefly Fir, Cedar, Pine and Laurel. Alder
 along creek.

Underbrush same.

North, between Secs. 13 and 14.

Va. 19*E ✓

17.00 Top of ridge, course N.10*E. and SW.

32.50 A creek, 20 lks. wide, course SW.

40.00 Set a Yew post, 3 ft. long, 3 ins. sq., 24 ins. in the
 ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face, from which
 which a

Fir, 40 ins. diam., bears S.75*E., 11 lks. dist.,
 marked $\frac{1}{4}$ S.B.T.

Fir, 10 ins. diam., bears N.87*W., 27 lks. dist.,
 marked $\frac{1}{4}$ S.B.T.

56.00 Creek, 1 lk. wide, course East.

80.00 Set a Yew post, 4 ft. long, 4 ins. sq., 24 ins. in the
 ground, for the cor. to secs. 11, 12, 13 and 14,
 marked T 32 S R 6 W S 12 on NE. S 13 on SE., S 14 on
 SW. and S 11 on NW. faces with 4 notches on S and 1
 notch on E. edges, from which

A Fir, 40 ins. diam., bears N.55*E., 50 lks. dist.,
 marked T 32 S R 6 W S 12 B T.

A Fir, 48 ins. diam., bears S.50*E., 76 lks. dist.,
 Marked T 32 S R 6 W S 13 B T.

A Fir, 20 ins. diam., bears S.78*W., 32 lks. dist.,
 marked T 32 S R 6 W S 14 B T.

A Fir, 40 ins. diam., bears N.53*W., 40 lks. dist.,
 marked T 32 S R 6 W S 11 B T.