

## County Surveyor's Record, Douglas County, Oregon

## Subdivisions of T. 32 S., R. 8 W.

CHAINS	
	Marked $\frac{1}{4}$ S B T.
79.42	The cor. to secs. 5, 6, 7, and 8.
	Land, mountainous.
	Soil, 3rd rate.
	Timber, densely covered, chiefly of Fir, Pine, and Laurel.
	Undergrowth, thick, of Laurel, Fir, Live Oak, and Chin-
	quapin.
	West, on a random line between secs. 6 and 7.
	Va. 19°45'E.
21.60	A creek, 5 lks. wide, course NE. Ascent.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
43.00	Top of ridge, course North.
	Canyons and broken ridges.
78.60	Intersect W bdy. of tp. 98 lks. North of the cor. to secs.
	1, 6, 7, and 12, which is a stone 16x10x10, marked with
	five notches on the South and one notch on the North
	angles of same, and from which
	A Cedar, 12 ins. diam., bears N.5°E., 58 lks. dist.
	Marked T 32 S R 8 W S 6 B T.
	A Fir, 10 ins. diam., bears S.66°E., 53 lks. dist.
	Marked T 32 S R 8 W S 7 B T.
	A Fir, 40 ins. diam., bears S.38°W., 8 lks. dist.
	Marked T 32 S R 9 W S 12 B T.
	A Fir, 38 ins. diam., bears N.24°W., 85 lks. dist.
	Marked T 32 S R 9 W S 1 B T.
	Thence I ran.
	N.89°18'E. on a true line between secs. 6 and 7.
	Va. same.
38.60	Set a stone 14x12x10 ins., 10 ins. in the ground marked
	$\frac{1}{4}$ on N side for the $\frac{1}{4}$ sec. cor., from which
	A Laurel, 8 ins. diam., bears N.16°E., 14 lks. dist.
	Marked $\frac{1}{4}$ S B T.
	A Laurel, 5 ins. diam., bears S.42°W., 13 lks. dist.