

Retracement of the 7th Standard Parallel South  
through R. 8 W.

CHAINS	
	<p style="text-align: center;">A Fir, 18 ins. diam., bears N.62*W., 37 lks. dist., marked SC <math>\frac{1}{4}</math> S 36 B T.</p> <p>Thence S.88*36'W. Descend 40 ft. over W. slope.</p>
1.20	Branch, 3 lks. wide, course N., ascend 455 ft. over E. slope.
23.30	Spur, slopes NW., descend 335 ft. over SW. slope to the standard sec. cor.
37.20	Head of ravine, course SW.
38.43	<p>The standard cor. of Secs. 35 and 36, which is a Laurel post, 4 x 4 ins., badly decayed, marked and witnessed as described by the surveyor general, SE bearing tree badly decayed.</p> <p>Alongside of post.</p> <p>Set a granite stone, 20 x 12 x 10 ins., 15 ins. in the ground, marked SC on N., with 5 grooves on W and 1 groove on E face.</p> <p>Land, mountainous.</p> <p>Soil, loose, coarse, rocky loam, 3rd rate.</p> <p>Timber, Fir, Pine, Live Oak, and Madrona.</p> <p>Undergrowth, Manzanita, Buckhorn, Lilac, Live Oak and Chinquapin.</p>
	<p>N.89*53'W., on S. bdy. of Sec. 35.</p> <p>Descend 160 ft. over SW slope, through heavy green timber and dense undergrowth.</p>
10.20	Branch, 3 lks. wide, course NW., ascend 215 ft. over NE slope.
21.00	Spur, slopes N., descend 150 ft. over NW slope.
27.10	Branch, 2 lks. wide, course NE., ascend 60 ft. over SE slope.
29.70	Spur, slopes NE., descend 40 ft. over NW slope.
31.40	Branch, 3 lks. wide, course NE., ascend 245 ft. over SE slope.