

Subdivisions, T. 32 S., R. 9 W.

CHAINS

$\frac{1}{4}$
 S27 | S26
 1917

from which

A fir, 8 ins. diam., bears N.15*E., 35 lks. dist.,
 marked $\frac{1}{4}$ S 26 B T.

A cedar, 48 ins. diam., bears S.6*W., 18 lks. dist.,
 marked $\frac{1}{4}$ S 27 B T.

- 53.90 Top of spur, slopes E.; descend.
- 58.50 Creek, 5 lks. wide, course E.; along E. slope.
- 72.65 Ravine, course SE.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
 ground, for cor. of secs. 22, 23, 26 and 27, with brass
 cap marked

T32S R9W
 S22 | S23
 S27 | S26
 1917

from which

A fir, 60 ins. diam., bears N.28*E., 50 lks. dist.,
 marked T 32 S R 9 W S 23 B T.

A fir, 8 ins. diam., bears S.64*E., 34 lks. dist.,
 marked T 32 S R 9 W S 26 B T.

A fir, 50 ins. diam., bears S.28*W., 98 lks. dist.,
 marked T 32 S R 9 W S 27 B T.

A cedar, 36 ins. diam., bears N.3*W., 119 lks. dist.,
 marked T 32 S R 9 W S 22 B T.

Land, mountainous.

Soil, stony clay loam, 2nd, 3rd and 4th rate.

Timber, fir, sugar pine, cedar and laurel.

Undergrowth, tan oak, chinquapin and snowbrush,

East, on a random line, bet. secs. 23 and 26.

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.84 Intersect the N. and S. line, 23 lks. S. of the cor. of
 secs. 23, 24, 25 and 26.

Thence