

Exteriors of T. 33 S., R. 4 W.

CHAINS	
19.00	Ravine, bears NW.
23.70	Ravine and branch, 2 lks. wide, course SW.
26.90	A Cedar, 4 ft. diam., on line, marked with 2 notches on N. and S. sides.
30.00	Leave timber and through scattering brush.
40.00	Set a basaltic stone, 12 x 8 x 6 ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face, from which <div style="margin-left: 40px;">A Y. Pine, 24 ins. diam., bears N.15*30'W., 165 lks. dist., marked $\frac{1}{4}$ S B T.</div> <div style="margin-left: 40px;">A Cedar, 5 ft. diam., bears S.41*E., 70 lks. dist., marked $\frac{1}{4}$ S B T.</div>
42.00	Enter timber.
52.50	Leave timber.
65.00	Top of ascent and spur, bears West: 600 ft. above sec. cor. Descend Mountain.
66.60	A Cedar, 3 ft. diam., on line, marked with 2 notches on N. and S. sides.
73.00	Enter timber.
75.00	Intersect 7th Standard Parallel, South 300 ft. below top of ascent and spur, marked temp. point for closing cor. to secs., 1 and 6, Tps. 33 S Rs. 4 and 5 W.
	Thence I run East on the Parallel South 24.50 chs. to standard cor. to Tps. 32 S R 4 and 5 West which is a post $4\frac{1}{2}$ ft. long, 4 ins. sq., lying loose upon the ground, marked S C T 32 S on N. R 4 WS 31 on E. R 5 W S 36 on W., faces with 6 notches on N., E., and W. faces, from which <div style="margin-left: 40px;">A Fir, 12 ins. diam., bears N.41*E., 18 lks. dist., marks pitched over well defined blazes.</div> <div style="margin-left: 40px;">A Fir, 9 ins. diam., bears N.68*W., 19 lks. dist., marks pitched over well defined blazes.</div> At exact point for cor. I set a basaltic stone, 12 x 12 x 10 ins. 8 ins. in the ground, marked with S C and 6 notches on N., E. and W. edges, and also reset post.