

Exteriors of T. 33 S., R. 4 W.

CHAINS

12 ins. in the ground by the side of stone for cor. This cor. is about 400 ft. above point for closing cor. to secs. 1 and 6, and the entire distance of 24.50 chs. is on N. slope of mountain and not agreeing in discription given in field notes supplied by U. S. Surveyor General as to topography as described on the South boundary of sec. 36 Tp 32 S R 5 W.

Futhermore the line West from Standard cor. to Tps. 32 S R 4 and 5 W. was not blazed, at least could not find any. I reblazed the line which is descending from 7 Standard cor. to Tps. 32 S Rs. 4 and 5 W., through dense undergrowth and over rocky ground. I return to closing cor. point to secs. 6 and 1 and set a basaltic stone, 14 x 12 x 6 ins., 10 ins. in the ground, marked C C with 6 notches on S., E. and W. edges, from which

A Fir, 8 ins. diam., bears N.46*E., 24 lks. dist., marked C C T 33 S Rs 4 and 5 W B T.

A Fir, 10 ins. diam., bears S.77*E., 16 lks. dist., marked T 33 S R 4 W S 6 B T.

A Fir, 12 ins. diam., bears S.39*W., 40 lks. dist., marked T 33 S R 5 W S 1 B T.

Land, mountainous, broken, rough, sloping to the West 75.00 chs.

Heavy timber, Fir, Cedar, Pine, and Matherone, 62.00 chs.

Soil, gravelly, rocky, 4th rate.

Dense undergrowth, Hazel, Vine Maple, small Fir and Matherone, 62.00 chs.

Along entire length of this township line, I could find no traces of survey, corners or blazed line of old survey and without the least similarity of description of topography.

September 15, 1893.