

Subdivisions of T. 33 S., R. 4 W.

CHAINS

- 43.00 Top of ascent, 800 ft. above sec. cor.
Descend on East slope of mountain.
- 56.90 Top of bluff, 20 ft. high.
- 58.00 Foot of descent, 400 ft. below point at 43.00 chs. and
spring branch 1 lk. wide, course East.
Ascend mountain on E. slope.
- 76.60 A Fir, 24 ins. diam., on line, marked with 2 notches on
N. and S. sides.
- 80.00 600 ft. above branch at 58.00 chs. and set a basaltic
stone 20 x 12 x 10 ins., 15 ins. in the ground, for cor.
to secs. 4, 5, 8 and 9, marked with 5 notches on S. and
4 notches on E. edges, from which
A Fir, 24 ins. diam., bears N.30*E., 25 lks. dist.,
marked T 33 S R 4 W S 4 B T.
A W. Fir, 12 ins. diam., bears S.60*E., 23 lks. dist.,
marked T 33 S R 4 W S 9 B T.
A Fir, 8 ins. diam., bears S.50*W., 72 lks. dist.
marked T 33 S R 4 W S 8 B T.
A Fir, 14 ins. diam., bears N.19*W., 38 lks. dist.,
marked T 33 S R 4 W S 5 B T.
- Land, mountainous, broken, rough, high.
Soil. gravelly, rocky, 4th rate.
Heavy timber, Fir, Pine, and Cedar.
Dense underbrush, Laurel, small Fir, and Hazel, 80.00 chs.
- September 11, 1893.

N.89*46'E. on a random line between secs. 4 and 9.

Va. 17*30'E

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 Intersect N. and S. line 47 lks. North, of cor. to secs.
3, 4, and 9 and 10.

hence I run

N.89*54'W., on a true line between secs. 4 and 9.

Va. 18'E