

Subdivisions of T. 33 S., R. 4 W.

CHAINS	
	N.89°55'E. on a random line between secs. 5 and 8. Va. 19°10'E
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.45	Intersect N. and S. line 37 lks. North of cor. to secs. 4, 5, 8 and 9. Thence I run N.89°49'W. on a true line between secs. 5 and 8. Va. 17°30'E
	Ascend mountain 40 ft. to
4.00	Top of ascent. Descent 150 ft. to
19.20	Foot of descent and trail, bears NW. and SE. Ascend gradually.
20.00	A Fir, 14 ins. diam., on line, marked with 2 notches on E. and W. sides.
40.22	Set a basaltic stone, 15 x 8 x 6 ins., 10 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. side, from which A Cedar, 9 ins. diam., bears N.55°E., 31 lks. dist., marked $\frac{1}{4}$ S B T. A Fir, 24 ins. diam., bears S.38°W., 22 lks. dist., marked $\frac{1}{4}$ S B T. This cor. is about 75 ft. above foot of descent at 19.20 chs. Thence along about level
60.00	Begin to descend mountain rapidly on W. slope.
71.43	A Pine, 2 ft. diam., on line, marked with 2 notches on W. and E. sides.
80.45	The cor. to secs. 5, 6, 7 and 8, 400 ft. below point at 60.00 chs. Land, mountainous, rolling, high. Soil, gravelly, 3rd and 4th rate. Heavy timber, Fir, Cedar and Pine. Dense underbrush, small Fir, Hazel, Yew, Vine Maple and Chinquapin, 80.45 chs. September 20, 1893.