

County Surveyor's Record, Douglas County, Oregon

5

Subdivisions of T. 33 S., R. 5 W.

CHAINS

A Cedar, 24 ins. diam., bears S.16°30'W., 74 lks. dist.
marked T 33 S R 5 W S.14 B T.

A Fir, 24 ins. diam., bears N.14°30'W., 121 lks. dist.
marked T 33 S R 5 W S 11 B T.

Land, mountainous, broken, rough.

Heavy timber of Fir, Cedar and Pine.

Dense undergrowth of Buck-horn, Manzanita, Chaparral,

Live Oak, and small Fir.

Soil, 4th rate, gravelly and rocky.

May 31, 1894.

North 89°23'E on a random line between secs. 12 and 13.

Va 21°40'E.

40.00 Set temp. $\frac{1}{2}$ sec. cor.

80.44 Intersect E bdy. of Tp. 21 lks. N of cor. to secs. 7,
12, 13 and 18, described in survey of T 33 S., R 4 W.
Thence I run S.89°32'W on a true line between secs. 12
and 13.

Va 19°E.

Descend on N slope.

00.50 Spring branch, 3 lks. wide, course NW.

6.90 Foot of descent -40 and spring branch 3 lks. wide,
course N.

Ascend gradually over steep rocky N slope.

14.55 Top of mountain spur.

Descend over steep rocky NW slope, over one continuous
pile of boulders.

34.22 A Fir, 16 ins. diam line tree marked with 2 notches
on E and W sides.

38.74 Branch, 3 lks. wide, course NW.

39.80 Foot of descent -400 and creek, 5 lks. wide course N.

40.22 Set basaltic stone 12 x 6 x 6 ins. 8 ins. in the ground
for $\frac{1}{2}$ sec. cor marked $\frac{1}{2}$ on the N side from which
A Fir, 10 ins. diam., bears N.9°W., 10 lks. dist,
marked $\frac{1}{2}$ S B T.

+75