

Subdivisions of T. 33 S., R. 8 W.

CHAINS

- 57.90 Branch, 2 lks. wide, course SE., asc. 440 ft. over SW. slope.
- 75.80 Spur, slopes SE., desc. 40 ft. over NE. slope.
- 80.00 Set a diorite stone, 16 x 10 x 6 ins., 11 ins. in the ground, for cor. of secs. 2, 3, 10 and 11, mkd. with 5 notches on S. and 2 notches on E. edge, from which
- A Fir, 8 ins. diam., bears N.4 $\frac{1}{2}$ *E., 99 lks. dist., mkd. T 33 S R 8 W S 2 B T.
- A Fir, 7 ins. diam., bears S.22*E., 63 lks. dist., mkd. T 33 S R 8 W S 11 B T.
- A Fir, 8 ins. diam., bears S.29*E., 34 lks. dist., mkd. T 33 S R 8 W S 10 B T.
- A Fir, 8 ins. diam., bears N.28*W., 56 lks. dist., mkd. T 33 S R 8 W S 3 B T.
- Land mountainous.
- Soil, loose, coarse, rocky loam, 3rd rate.
- Timber, Fir, Pine, Tan Oak, Chinquapin, Alder, Madrona and Cedar.
- Undergrowth, Madrona, Sweet Acorn, Buckhorn, Manzanita and Snowbrush.
-
- N.89*54'E., on random line between secs. 2 and 11.
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 79.80 Intersect N. and S. line, 14 lks. N. of the cor. of secs. 1, 2, 11 and 12.
- Thence
- West, on a true line between secs. 2 and 11.
- Asc. 145 ft. over broken NE. slope, through heavy green timber and dense undergrowth.
- 29.30 Saddle of ridge, bears N.75*W., and S. 75*E.
- Trail, bears NW. and SE.
- Desc. 40 ft. over SW. slope.
- 36.40 Head of ravine, course S., asc. 10 ft. over SE. slope.
- 39.90 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass mkd.