

Subdivision of T. 25 S., R. 1 E.

CHAINS

A fir, 36 ins. diam., bears S.64*E., 93 lks.
dist., marked $\frac{1}{4}$ S 26 B T.

- 40.75 Steelhead Creek, 30 lks. wide, course S.
- 40.90 Top of bluff, 30 ft. high, faces E.; asc. 180 ft. over E. slope.
- 47.00 Desc. SE. slope.
- 48.70 Creek, 2 lks. wide, course SE.; asc. 575 ft. to sec. cor. over NE. slope.
- 52.00 Continue asc. along N. slope.
- 69.00 Continue asc. over NE. slope.
- 76.00 Spur, slopes SE.; continue asc. over SE. slope.
- 79.80 The cor. of secs. 22, 23, 26 and 27.

Land, mountainous.
Soil, coarse rocky loam; 2nd and 3rd rate.
Timber, fir, hemlock, cedar and pine.
Undergrowth, vine maple, rhododendron, hazel and manzanita.

N.0*02'W., bet. secs. 22 and 23.

Asc. 35 ft. over SE. slope, through heavy timber and dense undergrowth.

- 3.50 Spur, slopes SE.; desc. 100 ft. along broken E. slope.
- 15.40 Dry ravine, course E.
- 24.10 Dry ravine, course E.
- 29.00 Desc. 250 ft. over N. slope.
- 33.00 Spring branch, 1 lk. wide, course E.
- 38.80 Creek, 3 lks. wide, course E.; asc. 20 ft. over SE. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked

$\frac{1}{4}$
S22 | S23
1927

from which

A fir, 20 ins. diam., bears N.77*E., 30 lks.
dist., marked $\frac{1}{4}$ S 23 B T.