

Subdivision of T. 25 S., R. 1 E.

CHAINS

from which

A fir, 13 ins. diam., bears N.78*E., 14 lks. dist., marked $\frac{1}{4}$ S 29 B T.

A fir, 8 ins. diam., bears S.79*W., 105 lks. dist., marked $\frac{1}{4}$ S 30 B T.

42.00 Spur, slopes SE.; thence along E. slope.

52.50 Desc. 65 ft. over NE. slope.

56.00 Creek, 1 lk. wide, course SE.; asc. 100 ft. over SW. slope.

61.25 Spur, slopes SE.; desc. NE. slope.

63.00 Dry ravine, course SE.; asc. 50 ft. over S. slope.

67.00 Spur, slopes SE.; desc. NE. slope.

69.00 Creek, 1 lk. wide, course SE.; asc. 100 ft. over SE. slope.

78.00 Desc. NE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins in the ground, for cor. of secs. 19, 20, 29 and 30, with brass cap marked

T25S	R1E
S19	S20
S30	S29
1927	

from which

A fir, 10 ins. diam., bears N.76 $\frac{1}{2}$ *E., 61 lks. dist., marked T 25 S R 1 E S 20 B T.

A fir, 10 ins. diam., bears S.26*E., 78 lks. dist., marked T 25 S R 1 E S 29 B T.

A fir, 8 ins. diam., bears S.35 $\frac{1}{2}$ *W., 30 lks. dist., marked T 25 S R 1 E S 30 B T.

A fir, 8 ins. diam., bears N.21*W., 81 lks. dist., marked T 25 S R 1 E S 19 B T.

Land, mountainous.

Soil, rocky loam; 2nd and 3rd rate.