

Subdivisions of T. 25 S., R. 2 E.

CHAINS							
70.40	Spur, slopes W., asc. 120 ft. over S., changing to SE. slope.						
73.40	Creek, 2 lks. wide, course SW.						
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for the cor. of secs. 8, 9, 16, and 17, with brass cap marked						
	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>T25S</td> <td>R2E</td> </tr> <tr> <td>S8</td> <td>S 9</td> </tr> <tr> <td>S17</td> <td>S16</td> </tr> </table> <p>1928</p>	T25S	R2E	S8	S 9	S17	S16
T25S	R2E						
S8	S 9						
S17	S16						
	from which,						
	A cedar, 16 ins. diam., bears N.7*E., 36 lks. dist., marked T 25 S R 2 E S 9 B T						
	A cedar, 22 ins. diam., bears S.76*E., 29 lks. dist., marked T 25 S R 2 E S 16 B T						
	A fir, 14 ins. diam., bears S.75*W., 32 lks. dist., marked T 25 S R 2 E S 17 B T						
	A cedar, 5 ins. diam., bears N.50*W., 56 lks. dist., marked T 25 S R 2 E S 8 B T						
	Land; mountainous.						
	Soil; mountain loam, 4th rate.						
	Timber; hemlock, fir, cedar, and yew.						
	Undergrowth; salal, rhododendron, and vinemaple.						
40.00	S.89*59'E., on a random line bet. secs. 9 and 16 Set temp. 1/4 sec. cor.						
80.28	Intersect N. and S. line 21 lks. S. of cor. of secs. 9, 10, 15, and 16, hereinbefore described Thence S.89*52'W., on true line bet. secs. 9 and 16 Asc. 6 ft. over SE. slope, through heavy timber and dense undergrowth.						
2.50	Spur, slopes S., desc. 205 ft. over SW. slope.						
20.90	Creek, 2 lks. wide, course SW., along S. slope.						