

Dependent Resurvey of the Willamette Meridian  
through T. 26 S.

CHAINS

3x2x2 ft. above ground, marked with a cross (X) at  
exact cor. point and W C  $\frac{1}{4}$  to the W. of cross.

(note; This cor. was originally set 2.55 chs. N. of the  
true point for cor., and the ground is too rough to  
change this cor. to its true position.)

This cor. will hereafter refer to sec. 13 only.

No trace of either of the old bearing trees was found,  
from which the new bearing trees,

An oak, 9 ins. diam., bears N.60\*W., 98 lks. dist.

Marked W C  $\frac{1}{4}$  S 13 B T.

A fir, 30 ins. diam., bears N.30\*W., 221 lks. dist.

Marked W C  $\frac{1}{4}$  S 13 B T.

Thence,

N.0\*17'E.

Ascend 380 ft. over SW. slope.

3.71 Point for the  $\frac{1}{4}$  sec. cor. of sec. 18 only, later determined.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in  
ground, for the  $\frac{1}{4}$  sec. cor. of sec. 18 only, with  
brass cap marked,

$\frac{1}{4}$  S 18  
 1928

from which

A fir, 12 ins. diam., bears N.10\*E., 58 lks. dist.

Marked  $\frac{1}{4}$  S 18 B T.

A fir, 48 ins. diam., bears S.30\*E., 179 lks. dist.

Marked  $\frac{1}{4}$  S 18 B T.

11.70 Spur, slopes W.

Descend 103 ft. over NW. slope.

16.50 Draw, course W.

Ascend 118 ft. over SW. slope.

23.20 Spur, slopes W.

Descend 39 ft. over NW. slope.

26.20 Draw, course W.

Ascend 448 ft. over SW. slope.