

Survey of the N. Bdy. of T. 26 S., R. 1 E.

CHAINS

A cedar, 12 ins. diam., bears N.12*W., 26 lks.

Marked T 25 $\frac{1}{2}$ S R 1 E S 31 B T.

Land, mountainous.

Soil, rocky, third rate.

Timber, fir and hemlock.

Undergrowth, vine maple and rhododendron.

West, on a true line bet. secs. 6 and 31.

Descend 74 ft. over NW. slope, through timber and brush.

17.50 North Umpqua River, 2.00 chs. wide, course SW.

Ascend 483 ft. over SE. slope.

21.90 Road and telephone line, from Roseburg to Steamboat
Bridge, bear NE. and SW.

34.50 Spur, slopes S.

Descend 120 ft. over SW. slope.

40.00 Set an iron post, 3 ft. long, 1 ins. in diam., 10 ins. in
the ground to bedrock, supported in a mound of stone,
with a 4 ft. base, 1 $\frac{1}{2}$ ft. high, for the $\frac{1}{4}$ sec. cor.,
with brass cap marked,

$$\begin{array}{r} S31 \\ \frac{1}{4} \\ \hline S6 \end{array}$$

1928

from which

A pine, 18 ins. diam., bears N.75*E., 52 lks. dist.

Marked $\frac{1}{4}$ S 31 B T.

A fir, 14 ins. diam., bears S.33*W., 48 lks. dist.

Marked $\frac{1}{4}$ S 6 B T.

41.10 Draw, course S.20*W., descend 526 ft. over broken SW. slope.

50.30 Road, and telephone, from Roseburg to Steamboat Bridge,
bears SE. and NW.

56.80 Right Bank of the North Umpqua River, thence with traverse
along the right bank of river.

Thence,