

Subdivisions of T. 26 S., R. 2 E.

CHAINS	
27.10	Top of rim, 50 ft. high, bears N.85*E., and S.25*W., desc. 307 ft. over NW. slope.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of secs. 13 and 24, with brass cap mkd.
	$\frac{1}{4} \frac{S13}{S24}$ 1929
	from which, A madrona, 7 ins. diam., bears S.9*W., 58 lks. dist., mkd. $\frac{1}{4}$ S 24 B T A fir, 40 ins. diam., bears N.53*W., 90 lks. dist., mkd. $\frac{3}{4}$ S 13 B T
	Desc. 443 ft. over NW. slope.
52.80	Left bank of North Umpqua River, course S.35*W.,
54.60	Right bank of river, Asc. 765 ft. over broken SE. slope.
73.10	Top of rock, 8x50x30 ft. above ground.
76.20	Draw, course SE., asc. over precipitous SE. slope.
80.04	Cor. of Secs. 13, 14, 23 and 24.
	Land; rough mountainous. Soil; rocky, 4th rate. Timber; fir, cedar, madrona, hemlock, and yew. Undergrowth; mountain laurel, arrow-wood, hazel, and small fir.
	N.0*01'W., bet. secs. 13 and 14.
	Asc. 450 ft. over SE., changing to precipitous S. slope, through scattering timber and light undergrowth.
11.00	Top of Rattlesnake Rock, 180 to 300 ft. high, top dome shaped, bears E. about 5.00 chs. and W. about 2.00 chs.
12.00	Foot of rock, bears E. and SW., asc. 240 ft. over SW. slope.
26.10	Spur, slopes S.10*E., thence along steep E. slope.