

## County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 26 S., R. 2 E.

CHAINS

T26S	R2E
S15	S14
S22	S23

1929

from which,

A fir, 8 ins. diam., bears N.69\*E., 28 lks.

dist., mkd. T 26 S R 2 E S 14 B T

A fir, 10 ins. diam., bears S.61\*E., 25 lks.

dist., mkd. T 26 S R 2 E S 23 B T

A fir, 14 ins. diam., bears S.9\*W., 77 lks.

dist., mkd. T 26 S R 2 E S 22 B T

A fir, 12 ins. diam., bears N.24\*W., 37 lks.

dist., mkd. T 26 S R 2 E S 15 B T

Land; mountainous.

Soil; rocky, 4th rate.

Timber; fir, pine, hemlock, yew, cedar, and oak.

Undergrowth; hazel, arrow-wood, vinemaple, rhododendron  
live oak, and small fir.

N.89\*40'E., on a random line bet. secs. 14 and 23

40.00 Set temp.  $\frac{1}{4}$  sec. cor.80.20 Intersect N. and S. line 16 lks. N. of cor. of secs.,  
13, 14, 23 and 24, hereinbefore described

Thence

S.89\*47'W. on true line bet. secs. 14 and 23

Asc. 105 ft. over E. slope, through scattering timber  
and medium undergrowth.

3.30 Spur, slopes S., desc. 53 ft. over W. slope.

4.80 Rim rock, 60 ft. high, bears N. and SE., desc. 232 ft.  
over SW. slope over bluffs.10.30 Eagle Creek, 3 lks. wide, course SE., asc. 285 ft. over  
E. slope over bluffs.16.60 Rim rock, 70 ft. high, bears N. and S., asc. 20 ft. over  
gradual E. slope.